Contents

ŠVAJGER, A., LEVAK-ŠVAJGER, B. and ŠKREB, N. Review article. Rat embryonic ectoderm as renal isograft	1-27
BURTON, R., HOLDER, N. and JESANI, P. The regeneration of double dorsal and double ventral limbs in the axolotl	29-46
Dan-Sohkawa, M., Yamanaka, H. and Watanabe, K. Reconstruction of bipinnaria larvae from dissociated embryonic cells of the starfish, Asterina pectinifera	47-60
YAMANAKA, H., TANAKA-OHMURA, Y. and DAN-SOHKAWA, M. What do dissociated embryonic cells of the starfish, Asterina pectinifera, do to reconstruct bipinnaria larvae?	61–71
SADLER, T. W., BURRIDGE, K. and YONKER, J. A potential role for spectrin during neurulation	73-82
CLEINE, J. H. Replacement of posterior by anterior endoderm reduces sterility in embryos from inverted eggs of Xenopus laevis	83-93
TUCKETT, F. and Morriss-Kay, G. M. The distribution of fibronectin, laminin and entactin in the neurulating rat embryo studied by indirect immunofluorescence	95-112
PISANSARAKIT, P. and Moore, G. P. M. Induction of hair follicles in mouse skin by rat vibrissa dermal papillae	113-119
WILLSHAW, D. J. and GAZE, R. M. The discontinuous visual projections on the Xenopus optic tectum following regeneration after unilateral nerve section	121-137
RANDS, G. F. Size regulation in the mouse embryo. I. The development of quadruple aggregates	139-148
Fraser, S. E. and Hunt, R. K. A physiological measure of shifting connections in the Rana pipiens retinotectal system	149–161
Langer, M. G., SundarRaj, C. V. and SundarRaj, N. Corneal epithelial-specific cell surface antigen recognized by a monoclonal antibody	163-172
GALLAGHER, B. C. Basal laminar thinning in branching morphogenesis of the chick lung as demonstrated by lectin probes	173-188
GALLAGHER, B. C. Branching morphogenesis in the avian lung: electron microscopic studies using cationic dyes	189-205
MOOR, R. M. and Crosby, I. M. Protein requirements for germinal vesicle breakdown in ovine oocytes	207-220
Samsel, J., Lorber, B., Petit, A. and Weniger, JP. Analysis of the cytosolic proteins of chick embryo gonads by two-dimensional gel electrophoresis	221-230
HURLE, J. M. and GAÑAN, Y. Interdigital tissue chondrogenesis induced by surgical removal of the ectoderm in the embryonic chick leg bud	231-244
McCaig, C. D. Electric fields, contact guidance and the direction of nerve growth	245-255
HORNBRUCH, A. and WOLPERT, L. Positional signalling by Hensen's node when grafted to the chick limb bud	257-265
COTTRILL, C. P., SHARPE, P. T. and WOLPERT, L. The application of aqueous two- phase partition to the study of chick limb mesenchymal diversification	267-275
INDEX OF AUTHORS AND TITLES	277-278
Subject Index	279-282